

Benevento Resolution 2006

The International Commission for Electromagnetic Safety (ICEMS) held an international conference entitled, *The Precautionary EMF Approach: Rationale, Legislation and Implementation*, hosted by the City of Benevento, Italy, on February 22–24, 2006. The meeting was dedicated to W. Ross Adey, M.D. (1922–2004). The scientists at the conference endorsed and extended the 2002 Catania Resolution and resolved that:

1. More evidence has accumulated suggesting that there are adverse health effects from occupational and public exposures to electric, magnetic, and electromagnetic fields, or EMF¹, at current exposure levels. What is needed, but not yet realized, is a comprehensive, independent, and transparent examination of the evidence pointing to this emerging, potential public health issue.

2. Resources for such an assessment are grossly inadequate despite the explosive growth of technologies for wireless communications as well as the huge ongoing investment in power transmission.

3. There is evidence that present sources of funding bias the analysis and interpretation of research findings towards rejection of evidence of possible public health risks.

4. Arguments that weak (low intensity) EMF cannot affect biological systems do not represent the current spectrum of scientific opinion.

5. Based on our review of the science, biological effects can occur from exposures to both extremely low frequency fields (ELF EMF) and radiation frequency fields (RF EMF). Epidemiological and *in vivo* as well as *in vitro* experimental evidence demonstrates that exposure to some ELF EMF can increase cancer risk in children and induce other health problems in both children and adults. Further, there is accumulating epidemiological evidence indicating an increased brain tumor risk from long-term use of mobile phones, the first RF EMF that has started to be comprehensively studied. Epidemiological and laboratory studies that show increased risks for cancers and other diseases from occupational exposures to EMF cannot be ignored. Laboratory cancers and other diseases have reported that hypersensitivity to EMF may be due in part to a genetic predisposition.

¹EMF, in this resolution, refers to electromagnetic frequencies between 0 and 300 GHz.

6. We encourage governments to adopt a framework of guidelines for public and occupational EMF exposure that reflect the Precautionary Principle²—as some nations have already done. Precautionary strategies should be based on design and performance standards and may not necessarily define numerical thresholds because such thresholds may erroneously be interpreted as levels below which no adverse effect can occur. These strategies should include:

6.1. Promote alternatives to wireless communication systems, e.g., use of fiber optics and coaxial cables; design cellular phones that meet safer performance specifications, including radiating away from the head; preserve existing land line phone networks; place power lines underground in the vicinity of populated areas, only sitting them in residential neighborhoods as a last resort;

6.2. Inform the population of the potential risks of cell phone and cordless phone use. Advise consumers to limit wireless calls and use a land line for long conversations.

6.3. Limit cell phone and cordless phone use by young children and teenagers to the lowest possible level and urgently ban telecom companies from marketing to them.

6.4. Require manufacturers to supply hands-free kits (via speaker phones or ear phones), with each cell phone and cordless phone.

6.5. Protect workers from EMF generating equipment, through access restrictions and EMF shielding of both individuals and physical structures.

6.6. Plan communications antenna and tower locations to minimize human exposure. Register mobile phone base stations with local planning agencies and use computer mapping technology to inform the public on possible exposures. Proposals for city-wide wireless access systems (e.g., Wi-Fi, WIMAX, broadband over cable or power-line, or equivalent technologies) should require public review of potential EMF exposure and, if installed, municipalities should ensure this information is available to all and updated on a timely basis.

6.7. Designate wireless-free zones in cities, public buildings (schools, hospitals, residential areas), and on public transit, to permit access by persons who are hypersensitive to EMF.

7. ICEMS³ is willing to assist authorities in the development of an EMF research agenda. ICEMS encourages the development of clinical and epidemiological protocols for investigations of geographical clusters of persons with reported allergic reactions and other diseases or sensitivities to EMF, and document the effectiveness of preventive interventions. ICEMS encourages scientific collaboration and reviews of research findings.

²The Precautionary Principle states when there are indications of possible adverse effects, though they remain uncertain, the risks from doing nothing may be far greater than the risks of taking action to control these exposures. The Precautionary Principle shifts the burden of proof from those suspecting a risk to those who discount it.

³International Commission For Electromagnetic Safety. For information, link to www.icems.eu.

We, the undersigned scientists, agree to assist in the promotion of EMF research and the development of strategies to protect public health through the wise application of the precautionary principle.

Signed:

Fiorella Belpoggi, European Foundation for Oncology & Environmental Sciences

Carl F. Blackman, Raleigh, NC, USA

Martin Blank, Department of Physiology, Columbia University, New York, USA

Natalia Bobkova, Institute of Cell Biophysics, Pushchino, Moscow Region

Francesco Boella, National Inst. Prevention & Worker Safety, Venice, Italy

Zhaojin Cao, National Institute Environmental Health, Chinese Center for Disease Control, China

Alessandro D. Alessandro, Physician, Mayor of Benevento, Italy, (2001–2006)

Enrico D. Emilia, National Institute for Prevention and Worker Safety, Monteporzio, Italy

Emilio Del Giudice, National Institute for Nuclear Physics, Milan, Italy

Antonella De Ninno, Italian National Agency For Energy, Environment & Technology, Frascati, Italy

Alvaro A. De Salles, Universidade Federal do Rio Grande do Sul, Porto Alegre, Brazil

Livio Giuliani, East Veneto & South Triol, National Institute for Prevention & Worker Safety, Camerino University

Yury Grigoryev, Institute of Biophysics, Chairman, Russian National Committee NIERP

Settimo Grimaldi, Institute of Neurobiology & Molecular Medicine, National Research, Rome, Italy

Lennart Hardell, Department of Oncology, University Hospital, Orebro, Sweden

Magda Havas, Environmental & Resource Studies, Trent University, Ontario, Canada

Gerard Hyland, Warwick University, UK. International Institute of Biophysics, Germany; EM Radiation Trust, UK

Olle Johansson, Experimental Dermatology Unit, Neuroscience Department, Karolinska Institute, Sweden

Michael Kundi, Head, Institute Environmental Health, Medical University of Vienna, Austria

Henry C. Lai, Department of Bioengineering, University of Washington, Seattle, USA

Mario Ledda, Institute of Neurobiology & Molecular Medicine, National Council for Research, Rome, Italy

Yi-Ping Lin, Center of Health Risk Assessment & Policy, National Taiwan University, Taiwan

Antonella Lisi, Institute of Neurobiology & Molecular Medicine, National Research Council, Rome, Italy

Fiorenzo Marinelli, Institute of Immunocytology, National Research Council, Bologna, Italy

Elihu Richter, Head, Occupational & Environmental Medicine, Hebrew University-Hadassah, Israel

Emanuela Rosola, Institute of Neurobiology & Molecular Medicine, National Research Council, Rome, Italy

Leif Salford, Chairman, Department of Neurosurgery, Lund University, Sweden

Nesrin Seyhan, Head, Department of Biophysics; Director, Gazi NIRP Center, Ankara, Turkey

Morando Soffritti, Scientific Director, European Foundation for Oncology & Environmental Sciences

B. Ramazzini, Bologna, Italy

Stanislaw Szmigielski, Military Institute of Hygiene and Epidemiology, Warsaw, Poland

Mikhail Zhadin, Institute of Cell Biophysics, Pushchino, Moscow Region